



### www.smartRdistribution.com orders@smartRdistribution.com

### DU-VP RGL DU-Series: Dual Unit Emergency Exit Button And Door Release



#### Description

The RGL DU-Series of Dual Unit Emergency Exit Button And Door Release provide a practical and versatile solution for emergency exit requirements. With two distinct button styles (stainless steel and green) and a comprehensive feature set, the RGL DU-Series caters to various aesthetic and functionality needs. This dependable system promotes both convenient everyday egress and safe emergency response, making it a valuable addition to access control systems in different environments. Key Features:

#### **Door Release Button:**

- Stainless Steel or Green Mushroom Button: Offers a sleek and durable design. \*Please select when ordering
- Momentary Operation: Provides a guick and easy exit function, even without breaking the glass.
- High-Impact Plastic Back Box: Ensures durability and a clean aesthetic.
- Double Pole Contact (N/O-N/C): Offers versatility for integration with different access control systems (30VAC/DC).
- Designed for over 1 Million Operations: Guarantees long-lasting performance.
- Wear-Resistant Legend: Maintains clear button identification over
- Security Screws (Allen Key Type): Deters tampering and unauthorised access.

#### **Emergency Door Release (EDR):**

- Triple Pole: Provides flexible connection options.
- Audible/LED Selection: Choose between an audible buzzer or LED indicator for exit activation feedback.
- 12/24V Operation: Compatible with different power supply setups.
- Plastic Front Stopper: Flip-up design simplifies emergency exit activation and protects against accidental activation.
- Contact Ratings 24v @ 5amp: Matches industry standards for consistent performance.



**Smart R Distribution Limited** 

Smart R House · 13 Moonhall Business Park · Helions Bumpstead Road Haverhill · Suffolk · CB9 7AA · England Phone UK: 01440 704 387 Phone Int'l: +44 1440 704 387

"Putting the right pieces together"



# 01440 704 387

## www.smartRdistribution.com orders@smartRdistribution.com

#### **Product Specifications**

Weight	380 kg
Brand	RGL
Construction	Plastic, Stainless Steel
Contacts	3-pole contact
Protection-rating	IP24
Resettable-non-resettable	Resettable
Power-requirement	12 VDC, 24 VDC
Mounting	Surface Mount

