

STID-ARCS-CQ/BT-VP  
STid ARCS-CQ/BT – Architect Series Keypad Reader With Touchscreen And QR Scanner

**Description**



The STid ARCS-CQ/BT is a versatile and secure access control solution that combines multiple identification technologies in a single device. Its touchscreen interface, QR code reader, and robust construction make it suitable for a wide range of applications.

**Key Features:**

- **Multi-Technology Platform:** Supports 13.56 MHz, NFC, and Bluetooth technologies for diverse access options.
- **QR Code and Barcode Scanning:** Enables quick and easy identification of employees and visitors.
- **Touchscreen Interface:** Provides intuitive user interaction for various functions and settings.
- **Robust Construction:** Weatherproof design with IP65 rating ensures durability in challenging environments.
- **Secure Communication:** Offers encrypted communication protocols (SSCP, OSDP) for enhanced security.
- **Wide Operating Range:** Functions reliably in temperatures ranging from -20°C to +60°C.

Please Select From The Following Variations:

**Product Specifications**

|                            |                                                                                                                                                                                                                    |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Weight                     | kg                                                                                                                                                                                                                 |
| Brand                      | STid                                                                                                                                                                                                               |
| Device-type                | Keypad, QR Scanner, Reader                                                                                                                                                                                         |
| Reader-and-card-technology | Bluetooth, Mifare / Desfire CSN Only, NFC, QR Code                                                                                                                                                                 |
| Operating-temperature      | -20°C to 60°C                                                                                                                                                                                                      |
| Power-requirement          | 7-28 VDC                                                                                                                                                                                                           |
| Construction               | ABS                                                                                                                                                                                                                |
| Frequency                  | 13.56 MHz, Bluetooth                                                                                                                                                                                               |
| Mounting                   | Surface Mount, Wall Mount                                                                                                                                                                                          |
| Protection-rating          | IP65                                                                                                                                                                                                               |
| Reader-mode                | Controlled by Protocol (Read Write), Read Only, Secure + Read                                                                                                                                                      |
| Versions                   | EasySecure Interface - Encrypted RS485, EasySecure Interface - RS485, Encrypted RS485, Encrypted TTL Wiegand or Clock & Data, OSDP v1 & v2 RS485, RS485, SSCP v1 RS485, SSCP v2 RS485, TTL Wiegand or Clock & Data |

